MAXWELL FISHELSON

http://maxkfish.com

maxfish at mit.edu

EDUCATION

Ph.D. in Theoretical Computer Science Supervisor: Prof. Constantinos Daskalakis

B.S. in Mathematics GPA: 4.9/5

Massachusetts Institute of Technology (MIT)

Massachusetts Institute of Technology (MIT)

RESEARCH

Breaking the $T^{2/3}$ Barrier for Sequential Calibration

STOC 2025 Invited to SICOMP Special Issue

- Established an algorithm for sequential prediction achieving $O(T^{2/3-\epsilon})$ calibration error, improving on the state of the art $O(T^{2/3})$ of Foster and Vohra, 1998
- Improved lower bound $\Omega(T^{0.54})$ on calibration error achievable in sequential prediction
- Established first $\omega(T^{1/2})$ calibration lower bound for an oblivious adversary
- New upper bound and tighter lower bound reductions from calibration to the sign preservation game of Qiao and Valiant
- Devised new recursive approach to establish upper bounds in the sign preservation game
- https://arxiv.org/pdf/2406.13668

Efficient Learning and Computation of Linear Correlated Equilibrium in General Convex Games

- Established a general approach for minimizing linear swap regret with arbitrary action sets
- Established analogous ellipsoid based approaches for the computation of linear correlated equilibrium in games with arbitrary action sets
- Introduced the technique of regret minimization via semi-separation oracle (as opposed to the classic separation oracle) to handle intractable deviation sets
- Semi separation has already found broader applications (e.g. establishing the first poly-time algorithms for profile swap regret minimization)
- https://arxiv.org/pdf/2412.20291

From External to Swap Regret 2.0: An Efficient Reduction for Large Action Spaces Invited to SICOMP Special Issue

- Devised the Tree-Swap algorithm: the first swap regret minimization algorithm with rate depending logarithmically on the number of actions N, resolving an open problem of Blum and Mansour from 2007
- Proved an equivalent swap regret rate only dependent on the Littlestone dimension of a concept class, establishing the first no-swap-regret algorithm for potentially infinite concept classes
- Established matching lower bounds, showing even oblivious, ℓ_1 -constrained adversaries can force a swap regret learner to expend exponentially many rounds
- Improved the best known dependence on N for swap regret learning in the setting of bandit feedback
- Resolved open problems about the query and communication complexity of computing ϵ -approximate correlated equilibrium in games

STOC 2025

STOC 2024

- Proved ϵ -approximate correlated equilibria in extensive-form games can be computed efficiently for constant ϵ , advancing a long-standing open problem for extensive-form games
- https://arxiv.org/pdf/2310.19786

Full Swap Regret and Discretized Calibration

- Establish an efficient learning algorithm for swap regret minimization in large, structured games
- Introduce the problem of full swap regret minimization, a metric that encompasses all previously studied regret measures
- Established a family of algorithms attaining various full swap regret minimization rates for various loss settings
- Provided an algorithm for L_2 calibration matching the best-known rate, but with substantial algorithmic simplification over the state-of-the-art
- Introduced the problem of discretized calibration and established non-trivial rates using a novel regret minimization technique for nearly-strongly convex loss functions, which may be of independent interest
- https://arxiv.org/pdf/2502.09332

Online Learning and Solving Infinite Games with an ERM Oracle

- Devised the first algorithm for online learning of arbitrary potentially-infinite hypothesis classes using only ERM oracle calls
- Provided a theoretical backing to the prevalent "double-oracle" algorithms that are the standard for solving large games in practice, unlike previous online learning algorithms that relied on the SOA oracle and had no practical utility
- Obtained similar results for non-parametric games, providing learning algorithms that only rely on best response oracles and converge to approximate-minimax equilibria in two-player zero-sum games and approximate coarse correlated equilibria in multi-player general-sum games
- https://arxiv.org/pdf/2307.01689

Near-Optimal No-Regret Learning for Correlated EquilibriaSTOC 2022in Multi-Player General-Sum GamesSTOC 2022

- Constructed algorithmic extensions of Optimistic Hedge attaining $poly(\log T)$ internal-regret and swap-regret in multi-player general-sum games respectively
- Established a means of simulating the Stoltz-Lugosi Optimistic-Hedge algorithm as an instance of Optimistic Hedge on a combinatorial space, demonstrating that the no-external-regret of Optimistic Hedge implies no-internal-regret for Stoltz-Lugosi
- Introduced novel techniques for the analysis of Taylor expansions of multinomial functions arising from no-regret algorithms, enabling a proof that Blum-Mansour Optimistic Hedge achieves no-swap-regret
- A corollary of our bound is that both Stoltz-Lugosi and Blum-Mansour Optimistic Hedge converge to correlated equilibrium in general games at a rate of $\tilde{O}(1/T)$.
- https://arxiv.org/pdf/2111.06008

Near-Optimal No-Regret Learning in General Games

NeurIPS 2021 Oral Presentation

- Established that Optimistic Hedge a common variant of multiplicative-weights-updates with recency bias attains $poly(\log T)$ regret in multi-player general-sum games
- Exponentially improved on the best known regret attainable by no-regret learners in general games
- Introduced many novel techniques for the analysis of the performance of regret minimization algorithms, including Fourier analysis

ALT 2025

COLT 2023

- A corollary of our bound is that Optimistic Hedge converges to coarse correlated equilibrium in general games at a rate of O(1/T).
- https://arxiv.org/pdf/2108.06924

SICOMP 2022 Multi-item Non-truthful Auctions Achieve Good Revenue (a.k.a. Simple, Credible, and Approximately Optimal Multi-item Auctions) EC 2020

- Established that first-price-type auctions can achieve a constant factor of the optimal revenue in the multi-item auction setting, resolving an open question
- Established the first credible and static multi-item auction that is approximately revenue optimal
- Obtained approximately-revenue-optimal multi-item mechanisms with fixed entry fees that are amenable to tuning via online learning techniques
- Proved a geometric lemma that enabled analysis of the utility of a first price auction, showing that welfare loss in a first price auction is at most 4 times the revenue of the posted price mechanism
- https://arxiv.org/pdf/2002.06702

Pattern Avoidance Over a Hypergraph

- Achieved a generalization of the Stanley-Wilf theorem, bounding the number of *n*-permutations avoiding a fixed sub-permutation at indices corresponding to the edges of a hypergraph
- Achieved bounds for both random and deterministic avoidance hypergraphs
- In deterministic case, devised a hypergraph formulation of pattern-avoidance, enabling the use of the hypergraph containers method
- https://arxiv.org/pdf/1906.09659

Szemeredi-Trotter: Polynomials and Incidences

- For a set of reals A, proved a lower bound on the magnitude of either the set $A + A = \{x + y | x, y \in A\}$ or the set $f(A) + g(A) = \{f(x) + g(y) | x, y \in A\}$
- Initially a submission to the Intel Science Talent Search, published as an abridged version later
- One of seven math research papers awarded semifinalist in Intel STS
- https://bookstore.ams.org/xyz-32

WORK EXPERIENCE

Google Research	Student Researcher
	New York City 2024

- Established algorithms for full swap regret minimization over convex action sets
- Studied generalizations of swap regret minimization algorithms to high-dimensional Blackwell approachability
- Devised the first algorithm for linear swap regret minimization over arbitrary convex action sets
- Worked to close the upper and lower bound on the optimal rate of sequential calibration

Microsoft Research

EconCS Research Extern New England 2020

- Established that first-price multi-item auctions achieve $\Omega(1)$ of the optimal revenue
- Devised ways of compressing the information in matching problems via agent classifications while maintaining welfare guarantees for the derived matchings
- Position intended for graduate students; was employed during undergrad; only 1 opening

Optiver US LLC

Quantitative Research and Trading Intern, 2018

• Created a machine learning model to predict volatility of the S&P500 following a day with abnormally high realized volatility

Mathematical Reflections 2016

Electronic Journal of Combinatorics 2021

- Invented a strategy to adjust predicted volatility in response to a market input using unbiased historical data
- Traded S&P futures and options in a simulated environment using real market data
- Coded automated trading algorithms to compete against fellow interns in market making games

TEACHING EXPERIENCE

MIT Primes

- Mentored two high school researchers in advanced theoretical and experimental projects to be submitted to the Intel Regeneron Science Talent Search
- Supervised a theoretical project investigating the existence of combinatorial graph structures known as "novelty games"
- Guided an experimental project utilizing simulations to test a conjecture in swap regret minimization
- Provided weekly personalized mentorship, teaching knwon mathematical tools and fostering research curiosity

Proofs and Goofs

- Produced a series of video lectures introducing fundamental concepts in the theory of computer science in elementary terms
- Covered topics including linear programming duality and gradient descent
- Accompanied each lecture with an original math song as a fun reward for sticking through the lecture
- https://www.youtube.com/playlist?list=PLA5LcZJ0YeCXy5B_zhStbc9X_hqQTsLj2

MIT Math Learning Center

- Helped undergraduates with coursework from classes spanning MIT's mathematics curriculum
- Provided individual attention to students struggling on a specific topic, helping them gain intuition
- Lectured groups of students on foundational topics

Awesome Math Summer Program

- 4 three-week sessions at Cornell U. (twice), UC Berkeley, and Univ. of Puget Sound, WA
- Worked alongside instructor explaining high-level olympiad math contest techniques from geometry, combinatorics, and number theory
- Worked with 50 students each camp (ages 12-16) helping them work through problems and gain problem solving intuition during classes and office hours

SERVICE

Program Committee COLT 2025, EC 2025, ALT 2025

Reviewer FOCS 2025, COLT 2025, Journal of Mathematics of Operations Research 2025, EC 2025, ALT 2025, ITCS 2025, SODA 2025, FOCS 2024, FOCS 2023, Journal of Mathematics of Operations Research 2023, SICOMP 2022, FOCS 2020

AWARDS AND HONORS

Akamai Presidential Graduate Fellowship2020Honorable Mention, USA Junior Math Olympiad(#12 nationally) 2014Honorable Mention, USA Junior Math Olympiad(#15 nationally) 2013#1 Team, PClassic Computer Programming Competition2015Harvard-MIT Math Tournament HMMT individual round(#19 internationally) 2015AMC 10 perfect score (150)3-time AMC Distinguished Honor Roll2012-16

Tutor, 2019

Educational Video Creator, 2024-

Teaching Assistant, 2015-16

sLj2

Mentor, 2025

#1 Individual Scorer, NY State Math Tournament (Curt Boddie Award)	2014
#1 Individual Scorer, NYC Math Tournament (NYCIML), 3 years in a row	2014-16